

| | L # | Hits | Search Text | DBs |
|----------|------------|-------------|---|--|
| 1 | L1 | 8079 25 | @pd>"20060411" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 2 | L2 | 1942 | ((523/160) or (523/161)).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 3 | L3 | 112 | 1 and 2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 4 | L4 | 6020 | ((524/589) or (524/590) or (524/507) or (524/522) or (524/495)).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 5 | L5 | 4297 | (428/195.1).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 6 | L6 | 135 | 1 and 4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

| | L # | Hits | Search Text | DBs |
|----|-----|-----------|---|--|
| 7 | L7 | 98 | 1 and 5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 8 | L8 | 3828 6 | (polyurethane or urethane) near10 (hydrophilic or ionic or ionomer\$2 or anionic or cationic or dispers\$5 or emulsif\$5 or sulfonat\$5 or carboxylat\$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 9 | L9 | 3767 1 | (carbon adj black or pigment) near10 (size or diameter) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 10 | L10 | 17 | (3 6 7) and 8 and 9 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 11 | L12 | 36 | (3 6 7) and (polyurethane or urethane) with urea | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 12 | L13 | 20 | (3 6 7) and (polyurethane or urethane) with chain adj (extend\$3 or extension) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

| | L # | Hits | Search Text | DBs |
|-----------|------------|-------------|--|--|
| 13 | L14 | 0 | 1 and ink and (polyurethane or urethane) same ("no urea") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 14 | L15 | 4 | ink and (polyurethane or urethane) same ("no urea") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 15 | L16 | 393 | 1 and ink and (polyurethane or urethane) with urea | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 16 | L17 | 10 | 1 and ink and (polyurethane or urethane) with (amount or wt\$2 or weight) near5 urea | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 17 | L18 | 51 | 1 and ink and (polyurethane or urethane) with chain adj (extend\$3 or extension) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 18 | L19 | 18 | 9 and ink and (polyurethane or urethane) with (amount or wt\$2 or weight) near5 urea | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

| | L # | Hits | Search Text | DBs |
|----|-----|------|---|--|
| 19 | L20 | 2 | 9 and ink and (polyurethane or urethane) with free near3 urea | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 20 | L21 | 23 | ink and (polyurethane or urethane) with free near3 urea | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 21 | L22 | 161 | 9 and ink and (polyurethane or urethane) and (isocyanate or diisocyanate) same \$10diamine | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 22 | L23 | 2086 | 9 and ink and (polyurethane or urethane) and (isocyanate or diisocyanate) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 23 | L24 | 640 | 9 and ink and (polyurethane or urethane) and (isocyanate or diisocyanate) same (aqueous or water) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 24 | L25 | 1925 | 23 not 22 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

| | L # | Hits | Search Text | DBs |
|----|-----|-----------|---|--|
| 25 | L26 | 1395 | 25 not 24 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 26 | L27 | 148 | 26 and (ink.ti. or inkjet.ti.) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 27 | L28 | 10 | 27 and polyol same (isocyanate or diisocyanate) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 28 | L29 | 36 | 26 and polyurethane.ab. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 29 | L30 | 3744 8 | (print\$3 or ink) near5 thickness | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 30 | L31 | 6440 1 | optical adj density | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

| | L # | Hits | Search Text | DBs |
|-----------|------------|-------------|---|--|
| 31 | L32 | 2295 | gloss near5 "20" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 32 | L33 | 93 | ink near3 (square adj inch or "in.sup.2") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 33 | L34 | 0 | 1 and 30 and 31 and 32 and 33 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 34 | L35 | 0 | 1 and 30 and 31 and 32 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 35 | L36 | 0 | 1 and 30 and 31 and gloss and 33 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 36 | L37 | 0 | 1 and 30 and print adj density and 32 and 33 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

| | L # | Hits | Search Text | DBs |
|-----------|------------|-------------|---|--|
| 37 | L38 | 112 | thickness and (print or optical) adj density and 32 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 38 | L39 | 20 | 1 and 30 and 31 and gloss | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 39 | L40 | 0 | 33 and (print or optical) adj density and 32 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 40 | L41 | 93 | 33 and ink | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 41 | L42 | 22 | ink near5 (mg! or g!) and (print or optical) adj density and 32 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 42 | L43 | 1338 | ink near5 (mg! or g!) and ink near5 thickness | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

| | L # | Hits | Search Text | DBs |
|----|-----|------|--|--|
| 43 | L44 | 18 | 43 and 2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 44 | L45 | 3592 | (print\$3 or ink) near5 thickness near5 (mm! or micron or um or nm!) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 45 | L46 | 383 | coating adj amount near5 ink | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 46 | L47 | 20 | 45 and 2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 47 | L48 | 3 | 46 and 2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 48 | L49 | 275 | ink near5 (mg! or g!) and 2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

| | L # | Hits | Search Text | DBs |
|-----------|------------|-------------|--|--|
| 49 | L50 | 295 | coating adj (amount or weight) near5 ink near5 (g! or mg!) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 50 | L51 | 647 | ink near5 (g! or mg!) near5 (in! or cm! or m!) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 51 | L52 | 17 | 51 and 2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 52 | L53 | 198 | ink near5 (g! or mg!) adj5 (in! or cm! or m!) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 53 | L54 | 646 | ink near5 (g! or mg!) adj5 ("in.sup.2" or "cm.sup.2" or "m.sup.2") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 54 | L55 | 280 | 54 and (ink or inkjet).ti. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

| | L # | Hits | Search Text | DBs |
|----|-----|------|---|--|
| 55 | L57 | 26 | "563" and 8 and 9 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 56 | L58 | 4 | 56 and 8 and 9 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 57 | L59 | 20 | 56 and 8 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 58 | L60 | 104 | 56 and carbon adj black | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 59 | L61 | 21 | 45 with (typical\$5 or conventional\$5) and (ink or inkjet).ti. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 60 | L56 | 695 | 45 and (ink or inkjet).ti. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

| | L # | Hits | Search Text | DBs |
|-----------|------------|-------------|--|--|
| 61 | L62 | 4807 2 | film adj thickness near5 (mm! or micron or um or nm!) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 62 | L64 | 15 | 62 and 2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 63 | L63 | 437 | 62 and (ink or inkjet).ti. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 64 | L65 | 5 | (("h002113") or ("20030184629") or ("20040092622")).PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 65 | L66 | 0 | 65 and stockigt | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 66 | L67 | 0 | 2 and stockigt | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

| | L # | Hits | Search Text | DBs |
|----|-----|------|--------------------------------------|--|
| 67 | L68 | 428 | stockigt | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 68 | L69 | 0 | 65 and size near5 seconds | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 69 | L70 | 0 | 65 and size near5 (second or sec) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 70 | L71 | 28 | 2 and size near5 (second or sec) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 71 | L72 | 4 | ("5879439").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 72 | L73 | 2 | 68 and 72 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

| | L # | Hits | Search Text | DBs |
|----|-----|------|---|--|
| 73 | L74 | 183 | stockigt near5 paper | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 74 | L75 | 94 | 74 and (ink or inkjet).ti. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 75 | L76 | 3 | stockigt same (courtland or lx!xerox or hammermill or epson adj photogloss\$2) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 76 | L77 | 5 | stockigt same (courtland or lx! or xerox or hammermill or epson adj photogloss\$2) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |